

SERIES	PRODUCT FAMILY	VERSION	MODEL
900	WOK	GAS	NEWK93G114

DESCRIPTION

WOK GAS RANGE 1 BURNER ON OPEN MODULE



TECHNICAL DATA:

STRUCTURE	OPEN BASE
WIDTH	600 mm
DEPHT	900 mm
HEIGHT	900 mm
VOLUME	0.7 m3
GAS POWER	14 kW

SERIES	PRODUCT FAMILY	VERSION	MODEL
900	WOK	GAS	NEWK93G114



FEATURES:

Gas Range Wok, 1 burner, Monoblock unit on open base. Worktop in stainless steel AISI304, top thickness 20/10 with all-around spillage basin, incl. drain pre-fitted for floor connection. Device equipped with 1 cast iron burner output: 14 kW developed for high thermal efficiency. Power regulation via valve tap with pilot burner and safety thermocouple. A large collector pan for liquids is placed underneath the top. A stable cast iron ring provides support for WOK pans, it is RAAF enamelled (acid, alkali and flame resistant). Height-adjustable feet in stainless steel.

OPTIONAL ACCESSORIES:

SERIES	PRODUCT FAMILY	VERSION	MODEL
900	WOK	GAS	NEWK93G114

INSTALLATION SCHEME



Ø 1/2" 100 mm

NOTES FOR THE INSTALLER:

All water and gas connections must be fitted with a shut-off valve or ball valve. Main gas connections must be provided of closing gate device.

Gas connections must not use welded tubes.

Gas connections must be jacketed according to current rules in the country.

Electric connections must be provided of safety switch and a minimum exit wire of 1,5 meter lenght (except where otherwise required in the drawing).

All sockets must be built according to safety-rules in force. Suited for humid room and settled with necessary plug. All electric connections must be provided of main switch.

The specification shown in this document are to be considered not bounding.

The company reserves the right to make technical changes at any moment.